

# Notice of Allowability

Application No.

10/056,304

Examiner

John L. Sotomayor

Applicant(s)

RONCALEZ ET AL.

Art Unit

3714

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 10/25/2004.
2. ☒ The allowed claim(s) is/are 1-5, 7, 9-19, 21, 22, 25, 26, 28, 29, 31 and 32.
3. ☒ The drawings filed on 23 January 2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 5/16/03
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

### **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance:

The prior art does not teach or suggest attaching at least two static acceleration sensors to a swimmer's back to detect and track movement of a swimmer's body about a first axis that is substantially parallel to a direction of travel of the swimmer's body and about a second axis that is substantially perpendicular to the first axis when the swimmer is swimming, and a processor configured to determine at least one of stroke identification, stroke count, stroke pattern, lap count or breathing pattern and to provide a signal for display (as shown in claims 1, 5,7,9-22 and 31) in combination with the other limitations of the claims, or

attaching at least two static acceleration sensors to a swimmer's body to detect movement about a longitudinal axis of the swimmer's body and an axis perpendicular to the longitudinal axis to generate a first and second static acceleration signal while swimming and a processor configured to provide a real-time, continuous display of stroke pattern in response to the first and second acceleration signals (as shown in claims 2-4) in combination with the other limitations in the claims, or

mounting a first and a second static acceleration sensor to a swimmer's back to detect and track movement of the swimmer's body about a first axis parallel to the direction of travel of the swimmer's body and a second axis perpendicular to the direction of travel of the swimmer's body, both with respect to a vertical axis, and generating a first and second static acceleration signals when the swimmer is swimming (as shown in claims 25-29 and 32) in combination with the other limitations in the claims.

Art Unit: 3714

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John L Sotomayor whose telephone number is 571-272-4456. The examiner can normally be reached on 6:30-4:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jessica Harrison can be reached on 571-272-4449. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jls  
April 18, 2005

*Chanda L. Harris*  
**CHANDA L. HARRIS**  
**PRIMARY EXAMINER**